


ECOSCENT TITANIA



- Built in LED timer
- Stand alone
- Mains powered




COLOUR OPTIONS



Black

SPECIFICATION SHEET

Product Code: 001-011




PRODUCT SPECIFICATIONS	
Product Name	EcoScent TITANIA
Dimensions	W200mm x D170mm x H550mm
Weight	7.4kg
Coverage	2000m³
HVAC	No
Scent Chamber	750ml
Colour	Black
Lifetime	10,000 Hours @ 45°
Operating Temp	0-50°C
IP Rating	IP54
Mounting	Stand Alone
Minimum Noise	<48 Dba
Connection	DC 12V
Control	24hr / 7 Day Digital Timer / Scent Inensity Control / Pre Order Wifi Control
Power Consumption	13W
Supply Voltage	12V DC
Supply Current	0.85A
Scent Consumption	3.5ml / Per hour on 100% Concentration. Lasts approx. 46 days (based on 750ml used at 40% concentration, 10 hours a day)
Length of Product Tested	50pc
Input Voltage (V DC)	13V
Input Power (W DC)	2.5W
Total Scent Output (m³)	2000m³
Efficiency (SCENT /W)	153.8



ECOSCENT

Premium Scenting Solutions

PRODUCT MANUAL TITANIA



Please read the user manual carefully before using the product and keep it in a safe place.

Safety Precautions

1. Do not use overloaded power supplies, USB ports, sockets, or use damaged power cords and plugs. If used, it may endanger your safety and may cause fire.
2. Please do not open the inside of the scent delivery system as this may cause damage. If the scent delivery system works in error, please read the user manual carefully, follow the normal procedure or consult after-sales.
3. When the scent delivery system is working, do not disassemble the scent delivery system or shake the scent delivery system vigorously.
4. Do not put the scent delivery system or power adapter in water. Do not put water in the fragrance bottle.
5. When the scent delivery system is already filled with fragrance oil or cleaning solution, do not invert, tilt or rotate the scent delivery system to prevent liquid spillage and damage of the scent delivery system and surfaces.

In The Box

				
Power Supply	Key	User Manual	Spare Oil Bottle Washer	Atomiser Core


Product Instruction

The EcoScent TITANIA features advanced diffusion technology that converts fragrance oil into a fine, dry, mist, releasing fragrance safely and directly into your environment without sprays or aerosols. Its features: the scent diffusion speed is fast, the atomised particle is fine and smooth, the oil consumption is stable and low.

The EcoScent TITANIA uses a professional diaphragm pump which can work for 10,000 hours. The EcoScent TITANIA has a built in touch panel to control the working time and aroma concentration based on your preference. Leading technology with patented micron atomisation makes the TITANIA'S aroma diffuse and spread quickly providing a long lasting fragrance.

MODEL NO.	TITANIA	DIMENSIONS	200 x 170 x 550 mm
OIL CAPACITY	750ML	N.W	7.4kg
COVERAGE AREA	2000 CUBIC METERS	VOLTAGE	12V DC
POWER	13W	NOISE	<47dba
OIL CONSUMPTION	3.5ML PER 100 ON 100%	INSTALLATION METHOD	Free Standing

Installation Instruction



Open the aroma oil chamber with the key.


Pour fragrance oil into the bottle.



Tighten the oil bottle to the scent machine.

Reconnect the powers supply.
TITANIA is ready to use.

Settings



MODE



SET



UP



DOWN

Power ON

The scent machine can be set on 4 different working periods.

[MODE]: select to input/change from one event to another event (Working Period). [SET]: select to confirm any setting, as for time setting (hour, minutes), work days and so on. [UP/DOWN]: Select to adjust the time, day, scent concentration and choice of working days. To lock the machine, hold down [SET] for 10 seconds. To reset the machine, hold down [MODE] for 10 seconds.

Working Time Setting

Press [SET] once. The hour figure will flash. Press [UP/DOWN] to adjust the hour then press [SET] again to adjust the minute in the same way. Press [SET] again to adjust the week day. Finally, press [SET] to confirm.

Setting The Time

Press [SET] once. The hour figure will flash. Press [UP/DOWN] to adjust the hour then press [SET] again to adjust the minute in the same way. Press [SET] again to adjust the week day. Finally, press [SET] to confirm.

Operating Period Setting

Press [MODE], the LCD displays [EVENT 1 ON], press [SET] to adjust the on time of first operation period. Press [UP/DOWN] to adjust the hour, minutes and working days. Repeat the operation from [SET] to [UP/DOWN]. We first set the hour, then minutes then work days. Press the [MODE], LCD screen displays [EVENT 1 OFF], select the end time and press [SET]. To set more operation periods, repeat the above steps. The TITANIA allows up to 4 different operation periods.

Working Day Setting

If you'd like to set the scent machine to operate Monday- Friday, 7am-12pm but want it to operate between 7am-12pm on the weekends, just set 'Program 1' from Monday to Friday and work time from 7am to 12pm. Then set the Program 2 from Saturday to Sunday and work time from 7am to 12 pm.

Concentration Setting

Once the operating modes have been set, continue to press [MODE] until the LCD screen displays [SCENT WORK]. Press (MODE) a third time, the LCD display will show (SCENT WORK PAUSE) indicating the CONCENTRATION SETTING of first group. Press (UP/DOWN) to adjust the aroma concentration. This is adjusted in 5% increments; the maximum is 95%, the minimum is 5%. 5% for concentration means the machine works for 5 seconds and stop for 300 seconds. Continue to set working period for all 4 working groups using the method above. A 'Working Period' ends at 12 am.

If you require the machine to work past midnight, please create a further working period such as 1: 23:00 - 23:59 and then 2: 00:01 - 06:00.

Fragrance Concentration

Press (UP/DOWN) to adjust the aroma concentration. The scent system works from 5 to 300 seconds at a time and can be paused from 5 to 300 seconds per your requirements. The longer the pause, the weaker the fragrance.

CONCENTRATION %	WORK	PAUSE
100%	300s	5s
75%	225s	75s
50%	150s	150s
40%	120s	180s
25%	75s	225s
5%	5s	300s

Scent Delivery System Maintenance

For the scent delivery system maintenance advice please refer to "Clean-Me Guide" included with your purchase. Please ensure the fragrance oil is topped up regularly. Clean with cleaning solution every 2 months or if changing the fragrance.

Do not use the water in the scent system. Do not tilt the scent system.

Before using the scent system please ensure it is correctly installed and to be checked at least monthly. Damage may be caused by improper installation or if using non approved EcoScent fragrances.


Please take care when handling fragrance oils and the scent system as any spillages may cause damage to fabric, flooring, surfaces, polished and painted areas. Any spillages of fragrance oils from the fragrance bottle or from the scent system should be cleaned up immediately.

Troubleshooting

FAULT	SOLUTION
SCENT DELIVERY SYSTEM IS NOT WORKING	- Check the power supply. - Check if the power is on. - Check scent delivery system working time.
WEAK OR NO ATOMISATION	- Check if the nozzle is blocked - Check if the oil pump tube is attached correctly.
OIL LEAK	- Check if the scent system is upright. -Check is the bottle washer isn't broken. -Check the connection of the oil bottle and atomiser is closed tightly.
ABNORMAL NOISE	Please send video of the fault to ecoscent@ecoscent.co.uk

Scent System Atomiser Core Replacement Guide

A spare Atomiser Core and clear tube are supplied in the box when the Scent Machine is provided to you.




1. Locate the Atomiser Core

Turn off the scent machine. The Atomiser Core is positioned in the top section of the scent machine and is connected to the clear tube that draws fragrance from the bottle.



2. Remove the existing Atomiser Core

Gently pull the Atomiser Core downward to release it from the device. If it is firmly in place, use pliers carefully to assist removal. A small amount of fragrance or cleaning solution may be present, so please protect clothing, skin and surrounding surfaces from possible spills.




3. Install the new Atomiser Core

Insert the replacement Atomiser Core into the unit and reconnect the clear tube, ensuring it is fully and securely seated. Dispose of the old part.



4. Check the installation

Confirm the Atomiser Core is firmly in place and the tube is correctly attached before switching the scent machine back on.



All Done!

Your scent system is now ready to use. Sit back and enjoy your chosen fragrance. If for any reason your scent system is not performing well please reach out to us at ecoscent@ecoscent.co.uk or WhatsApp +44 7361 534520

Care Tips:

Clean any spills immediately to prevent staining or slipping. Fragrance and cleaning solution can spill during replacement. Protect clothing, skin and nearby surfaces, and clean any spills immediately to avoid staining or slipping.

CLEAN ME GUIDE

It is important to regularly clean your scent delivery system with our EcoScent cleaning solution every couple of months to ensure the system runs smoothly and to prevent unnecessary internal damage.

STEP ONE



To clean the scent delivery system, ensure that fragrance oil bottle is empty then half fill with cleaning solution. Turn on the scent system to run as normal for 5-10 minutes.

STEP TWO



Turn off the power, pour out any residual cleaning solution and retain for future use.

STEP THREE



If the scent system is in constant use, the cleaning operation above should be carried out every 2-3 months to ensure ultimate efficiency of the atomised scent delivery technology.

If the equipment is not being used for a long period of time it is recommended that the fragrance oil bottle is emptied and the fragrance oil stored in a dry, dark, secure location. The scent system should then be cleaned with the cleaning solution as mentioned above. Please refer to User Manual for further information.

* Failure to clean the machinery will affect the warranty*